

Safety data sheet

according to 1907/2006/EC, Article 31 / 2020/878/EU

Printing date 02.04.2024

Version number 1

Revision: 02.04.2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- **Product identifier**
- **Trade name: Seal-it® 352 Super-Pro**
- **Relevant identified uses of the substance or mixture and uses advised against**
No further relevant information available.
- **Application of the substance / the mixture**
Adhesives
Sealant
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
Connect Products B.V.
Duurzaamheidsring 220
NL-4231 EX Meerkerk
Tel.: +31 (0)183 731 400
info@connectproducts.nl
- **Further information obtainable from: Product Safety Department**
- **Emergency telephone number: Giftinformationszentrum-Nord; Tel.: +49 (0)551 19240**

SECTION 2: Hazards identification

- **Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008**
The product is not classified, according to the GB CLP regulation.
- **Label elements**
- **Labelling according to Regulation (EC) No 1272/2008** *Void*
- **Hazard pictograms** *Void*
- **Signal word** *Void*
- **Hazard statements** *Void*
- **Additional information:**
Contains trimethoxyvinylsilane, N-(3-(trimethoxysilyl)propyl)ethylenediamine. May produce an allergic reaction.
Safety data sheet available on request.
Warning! Hazardous respirable dust may be formed when used. Do not breathe dust.
- **Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** *Not applicable.*
- **vPvB:** *Not applicable.*

SECTION 3: Composition/information on ingredients

- **Mixtures**
- **Description:** *Mixture of substances listed below with nonhazardous additions.*

- **Dangerous components:**

CAS: 13463-67-7 EINECS: 236-675-5	<i>titanium dioxide substance with a Community workplace exposure limit</i>	<i>≤2.5%</i>
CAS: 2768-02-7 EINECS: 220-449-8 Reg.nr.: 01-2119513215-52-XXXX	<i>trimethoxyvinylsilane</i> <i>⚠ Flam. Liq. 3, H226; ⚠ Acute Tox. 4, H332; Skin Sens. 1B, H317</i>	<i>≥0.1–<1%</i>

(Contd. on page 2)

Safety data sheet

according to 1907/2006/EC, Article 31 / 2020/878/EU

Printing date 02.04.2024

Version number 1

Revision: 02.04.2024

Trade name: Seal-it® 352 Super-Pro

(Contd. of page 1)

CAS: 1760-24-3

EINECS: 217-164-6

Reg.nr.: 01-2119970215-39-XXXX

N-(3-(trimethoxysilyl)propyl)ethylenediamine

⚠ Eye Dam. 1, H318; ⚠ Skin Sens. 1, H317; STOT SE 3, H335

≥0.1–<1%

· **Additional information:** For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- **Description of first aid measures**
- **After inhalation:** Supply fresh air; consult doctor in case of complaints.
- **After skin contact:** Generally the product does not irritate the skin.
- **After eye contact:** Rinse opened eye for several minutes under running water.
- **After swallowing:** If symptoms persist consult doctor.
- **Most important symptoms and effects, both acute and delayed**
No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

SECTION 5: Firefighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:** Use fire extinguishing methods suitable to surrounding conditions.
- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Advice for firefighters**
- **Protective equipment:** No special measures required.

SECTION 6: Accidental release measures

- **Personal precautions, protective equipment and emergency procedures** Not required.
- **Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:** Pick up mechanically.
- **Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

SECTION 7: Handling and storage

- **Precautions for safe handling** No special precautions are necessary if used correctly.
- **Information about fire - and explosion protection:** No special measures required.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** None.
- **Storage class:** 13

(Contd. on page 3)

GB

Safety data sheet

according to 1907/2006/EC, Article 31 / 2020/878/EU

Printing date 02.04.2024

Version number 1

Revision: 02.04.2024

Trade name: Seal-it® 352 Super-Pro

(Contd. of page 2)

· **Specific end use(s)** *No further relevant information available.*

SECTION 8: Exposure controls/personal protection

· **Control parameters**· **Ingredients with limit values that require monitoring at the workplace:****CAS: 13463-67-7 titanium dioxide**

WEL	Long-term value: 10* 4** mg/m ³ *total inhalable **respirable
-----	---

· **Additional information:** *The lists valid during the making were used as basis.*· **Exposure controls**· **Appropriate engineering controls** *No further data; see section 7.*· **Individual protection measures, such as personal protective equipment**· **General protective and hygienic measures:** *Wash hands before breaks and at the end of work.*· **Respiratory protection:** *Not required.*· **Hand protection***The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.**Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation*· **Material of gloves***Chemical-resistant protective gloves (EN ISO 374).**Minimum layer thickness: 0.5 mm**Permeation time (breakthrough time): 30 min**The breakthrough times determined in accordance with EN 16523-1 were not carried out under practical conditions.**A maximum wearing time corresponding to 50 % of the breakthrough time is recommended.**Nitrile rubber, NBR**Butyl rubber, BR**Chloroprene rubber, CR**The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.*· **Penetration time of glove material***The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.*· **Eye/face protection***Tightly sealed goggles*

SECTION 9: Physical and chemical properties

· **Information on basic physical and chemical properties**· **General Information**· **Physical state***Solid*

(Contd. on page 4)

GB

Safety data sheet

according to 1907/2006/EC, Article 31 / 2020/878/EU

Printing date 02.04.2024

Version number 1

Revision: 02.04.2024

Trade name: Seal-it® 352 Super-Pro

(Contd. of page 3)

· Colour:	<i>Various colours</i>
· Odour:	<i>Characteristic</i>
· Odour threshold:	<i>Not determined.</i>
· Melting point/freezing point:	<i>Undetermined.</i>
· Boiling point or initial boiling point and boiling range	<i>Undetermined.</i>
· Flammability	<i>Not determined.</i>
· Lower and upper explosion limit	
· Lower:	<i>Not determined.</i>
· Upper:	<i>Not determined.</i>
· Flash point:	<i>Not applicable.</i>
· Decomposition temperature:	<i>Not determined.</i>
· pH	<i>Not applicable.</i>
· Viscosity:	
· Kinematic viscosity	<i>Not applicable.</i>
· Dynamic:	<i>Not applicable.</i>
· Solubility	
· water:	<i>Insoluble.</i>
· Partition coefficient n-octanol/water (log value)	<i>Not determined.</i>
· Vapour pressure:	<i>Not applicable.</i>
· Density and/or relative density	
· Density at 20 °C:	<i>1.53 g/cm³</i>
· Relative density	<i>Not determined.</i>
· Vapour density	<i>Not applicable.</i>
· Other information	
· Appearance:	
· Form:	<i>Pasty</i>
· Important information on protection of health and environment, and on safety.	
· Ignition temperature:	<i>Product is not selfigniting.</i>
· Explosive properties:	<i>Product does not present an explosion hazard.</i>
· Change in condition	
· Evaporation rate	<i>Not applicable.</i>
· Information with regard to physical hazard classes	
· Explosives	<i>Void</i>
· Flammable gases	<i>Void</i>
· Aerosols	<i>Void</i>
· Oxidising gases	<i>Void</i>
· Gases under pressure	<i>Void</i>
· Flammable liquids	<i>Void</i>
· Flammable solids	<i>Void</i>
· Self-reactive substances and mixtures	<i>Void</i>
· Pyrophoric liquids	<i>Void</i>
· Pyrophoric solids	<i>Void</i>
· Self-heating substances and mixtures	<i>Void</i>
· Substances and mixtures, which emit flammable gases in contact with water	<i>Void</i>
· Oxidising liquids	<i>Void</i>

(Contd. on page 5)

Safety data sheet

according to 1907/2006/EC, Article 31 / 2020/878/EU

Printing date 02.04.2024

Version number 1

Revision: 02.04.2024

Trade name: Seal-it® 352 Super-Pro

(Contd. of page 4)

· Oxidising solids	Void
· Organic peroxides	Void
· Corrosive to metals	Void
· Desensitised explosives	Void

SECTION 10: Stability and reactivity

- **Reactivity** *No further relevant information available.*
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:**
No decomposition if used according to specifications.
- **Possibility of hazardous reactions** *No dangerous reactions known.*
- **Conditions to avoid** *No further relevant information available.*
- **Incompatible materials:** *No further relevant information available.*
- **Hazardous decomposition products:** *No dangerous decomposition products known.*

SECTION 11: Toxicological information

- **Information on hazard classes as defined in Regulation (EC) No 1272/2008**
- **Acute toxicity** *Based on available data, the classification criteria are not met.*

- **LD/LC50 values relevant for classification:**

CAS: 13463-67-7 titanium dioxide

Oral	LD50	>20,000 mg/kg (rat)
Dermal	LD50	>10,000 mg/kg (rabbit)
Inhalative	LC50/4 h	>6.82 mg/l (rat)

CAS: 2768-02-7 trimethoxyvinylsilane

Oral	LD50	6,899 mg/kg (rat)
Dermal	LD50	3,158 mg/kg (rab)

CAS: 1760-24-3 N-(3-(trimethoxysilyl)propyl)ethylenediamine

Oral	LD50	2,995 mg/kg (rat)
Dermal	LD50	>2,000 mg/kg (rat)

- **Skin corrosion/irritation** *Based on available data, the classification criteria are not met.*
- **Serious eye damage/irritation** *Based on available data, the classification criteria are not met.*
- **Respiratory or skin sensitisation** *Based on available data, the classification criteria are not met.*
- **Germ cell mutagenicity** *Based on available data, the classification criteria are not met.*
- **Carcinogenicity** *Based on available data, the classification criteria are not met.*
- **Reproductive toxicity** *Based on available data, the classification criteria are not met.*
- **STOT-single exposure** *Based on available data, the classification criteria are not met.*
- **STOT-repeated exposure** *Based on available data, the classification criteria are not met.*
- **Aspiration hazard** *Based on available data, the classification criteria are not met.*
- **Information on other hazards**

- **Endocrine disrupting properties**

None of the ingredients is listed.

GB

(Contd. on page 6)

Safety data sheet

according to 1907/2006/EC, Article 31 / 2020/878/EU

Printing date 02.04.2024

Version number 1

Revision: 02.04.2024

Trade name: Seal-it® 352 Super-Pro

(Contd. of page 5)

SECTION 12: Ecological information

- **Toxicity**
- **Aquatic toxicity:** *No further relevant information available.*
- **Persistence and degradability** *No further relevant information available.*
- **Bioaccumulative potential** *No further relevant information available.*
- **Mobility in soil** *No further relevant information available.*
- **Results of PBT and vPvB assessment**
- **PBT:** *Not applicable.*
- **vPvB:** *Not applicable.*
- **Endocrine disrupting properties**
The product does not contain substances with endocrine disrupting properties.
- **Other adverse effects**
- **Additional ecological information:**
- **General notes:**
*Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.*

SECTION 13: Disposal considerations

- **Waste treatment methods**
- **Recommendation**
Must not be disposed together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packaging:**
- **Recommendation:** *Disposal must be made according to official regulations.*

SECTION 14: Transport information

- | | |
|--|------------------------|
| · UN number or ID number | |
| · ADR, IMDG, IATA | <i>not regulated</i> |
| · UN proper shipping name | |
| · ADR, IMDG, IATA | <i>not regulated</i> |
| · Transport hazard class(es) | |
| · ADR, ADN, IMDG, IATA | |
| · Class | <i>not regulated</i> |
| · Packing group | |
| · ADR, IMDG, IATA | <i>not regulated</i> |
| · Environmental hazards: | <i>Not applicable.</i> |
| · Special precautions for user | <i>Not applicable.</i> |
| · Maritime transport in bulk according to IMO instruments | <i>Not applicable.</i> |

(Contd. on page 7)

GB

Safety data sheet

according to 1907/2006/EC, Article 31 / 2020/878/EU

Printing date 02.04.2024

Version number 1

Revision: 02.04.2024

Trade name: Seal-it® 352 Super-Pro

(Contd. of page 6)

· **UN "Model Regulation":** *not regulated*

SECTION 15: Regulatory information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Poisons Act**

· **Regulated explosives precursors**

None of the ingredients is listed.

· **Regulated poisons**

None of the ingredients is listed.

· **Reportable explosives precursors**

None of the ingredients is listed.

· **Reportable poisons**

None of the ingredients is listed.

· **Directive 2012/18/EU**

· **Named dangerous substances - ANNEX I** *None of the ingredients is listed.*

· **Chemical safety assessment:** *A Chemical Safety Assessment has not been carried out.*

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Relevant phrases**

*H226 Flammable liquid and vapour.
H317 May cause an allergic skin reaction.
H318 Causes serious eye damage.
H332 Harmful if inhaled.
H335 May cause respiratory irritation.*

· **Department issuing SDS:** *Product safety department*

· **Contact:** *info@connectproducts.nl*

· **Abbreviations and acronyms:**

*ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
GHS: Globally Harmonised System of Classification and Labelling of Chemicals
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
ATE: Acute toxicity estimate values
Flam. Liq. 3: Flammable liquids – Category 3
Acute Tox. 4: Acute toxicity – Category 4
Eye Dam. 1: Serious eye damage/eye irritation – Category 1
Skin Sens. 1: Skin sensitisation – Category 1
Skin Sens. 1B: Skin sensitisation – Category 1B*

(Contd. on page 8)

Safety data sheet
according to 1907/2006/EC, Article 31 / 2020/878/EU

Printing date 02.04.2024

Version number 1

Revision: 02.04.2024

Trade name: Seal-it® 352 Super-Pro

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

(Contd. of page 7)

· * **Data compared to the previous version altered.**

GB